

# Steamed European Beech

## Faggio Evaporato Europeo

botanical name | nome botanico *Fagus sylvatica*

origin | origine

Europe - Europa

**Product on request due to low or discontinuous availability**

*Prodotto su richiesta a causa della scarsa o discontinua disponibilita' di materia prima*




Hardwoods from temperate areas | Legni duri delle aree temperate

### SELECTIONS | SELEZIONI

- Superior

### PATTERN | DISEGNO DI POSA



**Straight**  
A correre

### DIMENSIONS | FORMATI

#### Straight pattern

Posa a correre

- Thickness/Spessore:  
**20 mm**
- Widths/Larghezze:  
**141-146-181-186 mm**
- Random lengths/Lunghezze miste:  
from/da **500 to/a 2000+ mm**

Pattern Disegno di posa	Selection Selezione	Width (mm) Larghezza (mm)	Unfinished Price per Sq.m Grezzo Prezzo al mq	Varnished Oil- UV Price per Sq.m Verniciato Oil-UV Prezzo al mq	Natural Oil Finish Price per Sq.m Olio Naturale Prezzo al mq
Straight A Correre	Superior	141-146	OR	OR	OR
Straight A Correre	Superior	181-186	OR	OR	OR

### NEW JERSEY SHOWROOM

406B West Broadstreet,  
Westfield NJ, 07090

908.232.6600

Joe@Hugginsflooring.com

Newyorkcitywoodfloors.com

# The solid hardwood giant plank

Il listone gigante in legno  
massiccio



**20 mm  
of pure noble  
hardwood**

20 mm di puro legno nobile

# It is all real wood

## Tutto vero legno


---

Wood is a natural material. Each species has its own features, such as wavy or straight grain and various chromatic shades. These variations of color, shade, configuration, streaks and grain structure are sometimes peculiarly remarkable within the same wood species and even within planks originated from the same tree. Very small knots, commonly referred to as "bird's eyes", represent a peculiarity of certain wood species and sometimes are present in small percentages also in Superior selection. The daily exposure to light causes in every wood species a light colour variation, known by the name of oxidation. This is an inevitable phenomenon that occurs in all types of wood flooring, but in the end it just even out its color.

Il legno è un materiale naturale, con caratteristiche proprie che cambiano da specie a specie, quali fibre e sfumature cromatiche che possono essere più o meno regolari e marcate anche all'interno di una stessa specie legnosa. I piccolissimi nodi comunemente chiamati "occhio di pernice", rappresentano anch'essi una caratteristica tipica di alcuni legni, e anche se in piccola percentuale, possono essere presenti anche nella scelta Superior. La quotidiana esposizione alla luce causa in tutti i legni una leggera variazione di colorazione, nota con il nome di ossidazione. Questo è un fenomeno inevitabile in tutti i legni e in tutte le tipologie dei parquet, ma in definitiva non fanno che uniformarne l'aspetto cromatico.

# Technical features

## Caratteristiche tecniche



---

Listone is Solid Hardwood flooring 100% Made in Italy. T&G profile 4 sides Our production of solid flooring, both in the finished and unfinished version, is always supplied beveled on four sides. For the unfinished planks only, upon request the boards could be made beveled on 2 sides or with square edge. Available on request products certified FSC®-COC and PEFC™.


I listoni sono in puro legno massiccio 100% Made in Italy Incastro M/F sui 4 lati I nostri pavimenti in legno, sia nella versione prefinita sia nella versione senza finitura, vengono sempre forniti con bisellatura su quattro lati. Su richiesta i parquet ordinati senza trattamento di finitura possono essere realizzati anche con bisellatura su 2 lati o senza bisellatura. Disponibili su richiesta prodotti FSC®-COC e PEFC™.

# Dimensions

## Formati

All our products are made of solid hardwood with extra thickness and their dimensions are shaped by the Nature. The widths, the lengths and sometimes also the thickness are tied to the peculiar morphology of each wood species and to the genuine structure of every single tree belonging to a same wood species. This is the reason why our wood floorings are available from time to time in various widths and thickness, as it is obviously impossible to standardize the dimensions of a natural material. Therefore we strongly recommend that you get in touch with us to check the size of the products available before making an offer.

Tutti i nostri prodotti sono realizzati in legno massiccio di alto spessore e le loro dimensioni sono plasmate dalla natura. Le larghezze, le lunghezze e talvolta lo spessore sono legati alla morfologia particolare di ogni singola specie e dalla conformazione naturale di ogni pianta all'interno della specie. Per questo motivo i nostri pavimenti in legno sono disponibili di volta in volta in varie larghezze e spessori ed è impossibile poter standardizzare le dimensioni di un materiale naturale. Vi invitiamo pertanto a contattarci per verificare le misure dei prodotti disponibili prima di passare un ordine.




**Thickness**  
Standard thickness is 20 mm.

**Widths**  
Various widths available, according to the different wood species. Should there be indicated in this price list various widths related to the same price range of a single wood species, it means that when we receive an enquiry we will value the raw material available and we will confirm the width that we are able to supply in that moment.

**Spessore**  
Lo spessore standard è 20 mm.

**Larghezza**  
Varie larghezze disponibili a seconda delle specie Lignee. Laddove nel listino vengano indicate diverse larghezze in relazione allo stesso prezzo, si intende che al momento della richiesta si valuterà la materia prima disponibile e si confermerà la larghezza in cui potrà essere evaso l'ordine.



### Length

Random lengths from 500\*\* up to 2000/2400 mm

\*\*Due to the natural morphology of the trees European White Maple, European Cherry, Palisander Santos Morado, European Walnut, European Pear and African Zebrano, the minimum lengths will be starting from 300 mm.

In order to guarantee a high quality standard, we must cut off parts of the boards if they have imperfections. As a consequence, the material has to be supplied in random lengths. The supplies' lengths will be divided according to the following proportions:

Range of board lengths:

- 1/3 from mm 300-500\*\*\* up to 690
- 1/3 from mm 700 up to 1290
- 1/3 starting from mm 1300 up to the maximum length for the wood in question.

\*\*\* Regarding Palisander Santos Morado the lengths will be divided as follows:

- maximum 10% from 300 up to 490 mm
- maximum 50% from 500 up to 890 mm
- the rest of the supply from 900 mm and longer, with rare presence of boards 1800 mm long or even longer.

The length of the herringbones depends on the length of the raw material present in our warehouse at the time of order confirmation.

Lunghezza Lunghezze miste da 500\*\* a 2000/2400 mm

\*\*Nelle specie lignee Acero Bianco Europeo, Ciliegio Europeo, Palissandro Santos Morado, Pero Europeo, Noce Europeo e Zebrano Africa, a causa della naturale anatomia morfologica di queste piante, le lunghezze minime saranno a partire da 300 mm.

L'esigenza di garantire il nostro standard qualitativo impone l'eliminazione delle parti difettose delle tavole e, di conseguenza, non esiste una distinta fissa per le lunghezze. Le forniture saranno divise secondo le seguenti proporzioni:

- 1/3 da mm 300-500\*\*\*690
- 1/3 da mm 700/1290
- 1/3 da mm 1300 in avanti (fino a

2000 o più, a seconda della specie legnosa).

\*\*\* Per il Palissandro Santos Morado le lunghezze saranno così suddivise: • mm. 300/490 = massimo 10% • mm. 500/890 = massimo 50% • rimanenza da mm. 900 in avanti,

con rare presenze di tavole da mm. 1800 o più.

La lunghezza delle spine dipende dalla lunghezza della materia prima presente nel nostro magazzino al momento della conferma dell'ordine.

# Selections

## Selezioni

---

### SUPERIOR:

It arises from first choice raw materials and 90% of lots are free from any kind of peculiar signs. Only a small percentage could sometimes show the characteristic marks of certain types of wood (little knots, "bird's eyes", possible traces of sapwood), which do not compromise the quality of the wood flooring but, on the contrary, stand as marks of its naturalness.

È una prima scelta, dove almeno il 90% è praticamente netto; solo una minima percentuale può avere talvolta la presenza di segni caratteristici (nodini, "occhi di pernice", tracce di albarno, etc.) tipici della specie lignea in questione, che non pregiudicano la qualità del pavimento e anzi ne nobilitano la sua origine.

NATURA: Natura selection involves a significant presence of peculiar signs of the respective wood-species. In example, Oak Natura is featured by the presence of open knots with diameter up to 40 mm, the presence of sound knots of average size up to 40 mm, minor cracks and possible presence of sapwood.

La selezione Natura prevede la presenza di segni caratteristici delle rispettive specie lignee. Ad esempio, nel rovere prevede nodi aperti con diametro fino a 40 mm, la presenza di nodi chiusi di medie dimensioni fino a mm 40, possibili fenditure e presenza di albarno.

### RUSTIC:

Rustic selection is characterized by a marked presence of characteristic and distinctive signs of natural wood, such as knots of all kinds and of all sizes, including open knots or consolidated, splits and possible presence of sapwood. Its appearance is very varied.

La selezione Rustic è caratterizzata da una marcata presenza di segni caratteristici e distintivi naturali della materia lignea, quali nodi di tutti i generi e di tutte le dimensioni, inclusi nodi aperti o consolidati, spacchi e eventuale presenza di albarno.

# Flooring accessories

## Accessori per pavimenti

You can add to your wood-flooring order the following accessories, available in all wood species and finishes:

- Skirting
- Stair nosing
- Sills Price available upon Request

È possibile avere i seguenti accessori in legno massiccio coordinati al parquet prescelto in varie dimensioni e finiture:

- Battiscopa
- Tori per gradini
- Soglie I prezzi verranno forniti su richiesta

# Finishes and Processing upon request

## Finiture e lavorazioni su richiesta

**Oil-UV Lacquer**

**Natural Oil finish**

**Water based varnish+Oil-UV Lacquer**

**Silk varnish**

**Deep brushing**

**Customized color**

**Hand filling "GIANT® System"**

**Hand planing\***

*\*If you want an unfinished hand planed Natura selection wood-flooring, it is mandatory to carry out the filling before performing it. If you want a prefinished Natura selection wood-flooring, it is mandatory to carry out the filling before finish application.*

# Laying and maintenance

## Consigli di posa e manutenzione

—

Listone is delivered with a relative humidity content of 9% +/- 2% in full compliance with the related laws and regulations in force. Ideal environmental conditions for preserving Listone both before and after wood flooring laying are the same required for the human physiological well-being (temperature between 15° and 25° C and humidity between 45% and 60%). To achieve satisfactory installation, before laying the floor, rooms should be maintained at the ideal temperature and humidity rate described above. These environmental conditions must be checked with professional instruments. The humidity has to be measured with a hygrometer. These tests will permit to avoid any fissures or wood dilatations. The dimensions of the widths that we invoice are net, without any waste. We recommend anyway to consider small waste percentage due to cutting and installation when calculating the quantities of wood flooring needed. We suggest when ordering your flooring with herringbone pattern that you work on an estimated waste factor of around 15%. For running laying installation consider a waste factor of around 7%.

## General sales conditions

**1. Orders** Orders received by telephone or by Sales Representative will be summarized from Ciambella Legnami together with the referring sales conditions in an official order confirmation that will be sent to the Customer via e-mail or via fax. Contract is solely concluded when the order confirmation has to be sent back to us via fax or email stamped and countersigned for acceptance.

**2. Prices** All prices do not include VAT and, unless the order confirmation states otherwise, are quoted EX WORKS of Ciambella Legnami Company, excluding forwarding and special packing costs, custom duties, taxes or other public dues related to the goods. (see clause 1). Prices, unless otherwise agreed, are those specified in the current price list. Please note that since the price of the various raw materials are strongly influenced by fluctuations in the exchange rates and are tied to socio-economic and political factors, prices are subject to change without prior notice.

**3. Shipment** The goods are always shipped Ex-Works and travel always at risk and responsibility of the customer. Upon request we can organize the shipment on behalf of the purchaser, but even in this case the goods are shipped at the risk and responsibility of the customer, also if they are delivered CIF, CIP or DAP. Freight insurance must be expressly required from the customer. In case of late delivery, loss or damages, the Customer has to ask a refund directly to the transport company.

**4. Delivery** The delivery terms specified in the order confirmations are only for an indication and are never binding. These times do not include shipping times. The Company Ciambella Legnami will not be held responsible for any delay or failure to comply with its obligations that arises out of any event or circumstance beyond its reasonable control. The purchaser should proceed with the payment of the balance and with the loading of the goods not later than 30 days after the end of production of the goods. After that date, costs of storage could be applied.

**5. Claims** Any claims related to material must be made within and not later than eight days from receipt of the same by means of a registered letter with receipt of delivery and in any case before work begins. The use or alienation of material by the buyer constitutes his acknowledgement of payment due for the amount agreed upon and renouncement to any claims. If any defects were to arise during installation this should be immediately suspended and the company Ciambella Legnami (whose obligations only include the collection and replacement of the goods considered faulty) should be formally informed, otherwise the buyer's rights will no longer be valid. Once the order has been shipped, the purchaser will be responsible of any damage due to the improper storage of the goods. Complaints after installation will not be accepted. Samples, catalogues and any other documentation that the client possesses have to be considered as indicative.

**6. Return of goods** No returned goods will be accepted without our permission.

**7. Payment** Payments for Products purchased by the Customer may only be made according to what specified in the order confirmation (see clause 1). In case of late payment the company Ciambella Legnami the right to suspend any further supply and is entitled to statutory interest for late payment set out in the Commercial Code for the period of that delay, without the need for a formal request. All payments required shall be made without any set-off, withholding or deduction except in case they have been authorized and agreed by the parties. These terms and conditions shall be governed by the laws of Italy and the parties agree to submit to the exclusive jurisdiction of the Perugia courts.

**8. Warranty** Warranty policy document is available on the reserved area of [www.listonegiant.it](http://www.listonegiant.it).

## Condizioni generali di vendita

**1. Ordini** *Gli ordini ricevuti verranno riepilogati, con le relative condizioni di vendita, in una conferma d'ordine che Ciambella Legnami invierà via e.mail o fax al cliente, il quale dovrà rispedirla debitamente firmata e timbrata per accettazione.*

**2. Prezzi** *Tutti i prezzi sono da intendersi IVA esclusa e franco partenza ns. magazzini, salvo condizioni diversamente indicate nella conferma d'ordine (vedi punto 1). I prezzi, se non diversamente concordati, saranno quelli riportati dal vigente listino. Dal momento che il prezzo delle specie lignee è fortemente influenzato dalle fluttuazioni del mercato valutario e da fattori socio-economici e politici, i prezzi elencati in questo documento sono suscettibile a variazioni in qualsiasi momento, senza alcun preavviso.*

**3. Trasporto** *I nostri prodotti vengono sempre venduti Ex Works (franco fabbrica) e sono trasportati a rischio del compratore anche nel caso in cui venisse richiesto dal cliente di organizzare la spedizione ("franco destino"). L'eventuale assicurazione sul trasporto deve essere espressamente richiesto dal cliente. Eventuali contestazioni per ritardi di consegna, smarrimenti o danni al materiale vanno sempre rivolte unicamente al trasportatore.*

**4. Termini di consegna** *I termini di consegna indicati nelle conferme d'ordine sono soltanto indicativi, mai impegnativi e non comprendono i tempi del trasporto. Ciambella Legnami non si assume responsabilità per ritardi dovuti a cause estranee alla propria volontà. L'acquirente dovrà procedere al saldo e al ritiro della merce entro 30 giorni dall'avviso di approntamento della merce. Dopo tale termine potranno essere applicati costi di gestione del magazzino.*

**5. Reclami** *Eventuali reclami, di qualsiasi natura, relativi al materiale devono essere comunicati tramite raccomandata A/R entro e non oltre otto giorni dal ricevimento della merce, e comunque prima dell'inizio della posa in opera. L'utilizzo o l'alienazione del materiale da parte del compratore costituisce un suo riconoscimento di corrispondenza con quanto pattuito e comporta la sua rinuncia a qualsiasi contestazione. Nel caso in cui eventuali difetti si evidenziassero in fase di posa, la stessa dovrà essere immediatamente sospesa e Ciambella Legnami (i cui obblighi non vanno oltre il ritiro e la sostituzione del materiale ritenuto difettoso) dovrà essere formalmente avvisata, pena la decadenza di ogni diritto per l'acquirente. Una volta che l'ordine è stato ritirato, l'acquirente risponderà di ogni danno dovuto alla cattiva conservazione o negligenza. Non si accettano contestazioni dopo la posa in opera. I campioni dei kit espositivi, i cataloghi e qualsiasi documentazione in possesso del cliente, sono da intendersi solo puramente indicativi.*

**6. Resi** *Non si accettano resi di qualsiasi entità.*

**7. Pagamenti** *La forma di pagamento da ritenersi valida è esclusivamente quella indicata nella conferma d'ordine (vedi punto 1). Eventuali reclami o contestazioni non danno diritto all'acquirente di sospendere o ritardare i pagamenti. Qualsiasi ritardo nei pagamenti dà diritto a Ciambella Legnami di sospendere eventuali forniture in corso e di applicare gli interessi di mora al tasso ufficiale dalla data di scadenza del pagamento. Per ogni controversia è competente il Foro di Perugia.*

**8. Garanzia** *I termini e le condizioni di garanzia sono disponibili nell'area riservata del sito [www.listonegiant.it](http://www.listonegiant.it).*